

# State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <b>Restaurant &amp; Pupuseria Mari</b>		Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number <b>529</b>	Date <b>4/2/18</b>
Address <b>2521 Grand Blvd Hamilton OH 45011</b>		Category/Descriptive <b>Class 4 - 25,000 sf</b>		
License holder <b>Restaurant &amp; Pupuseria Mari Inc.</b>		Inspection time (min) <b>20 min</b>	Travel time (min) <b>15 min</b>	Other
Type of visit (check) <input type="checkbox"/> Standard <input checked="" type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Precicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other specify		Follow-up date (if required) <b>—</b>	Sample date/result (if required)	

### 3717-1 OAC Violation Checked

#### Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

#### Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

#### Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
<input checked="" type="checkbox"/> 3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

#### Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

#### Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

#### Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

#### Administrative

901.3-4 OAC
3701-21 OAC

#### Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

Ⓢ = repeat violation

#### Violation(s)/Comment(s)

non-critical

3.2 Scoops without handles found stored on bulk items: masa; not allowed. remove - and obtain a scoop with a handle to prevent cross contamination. Ⓢ  
Corrected.

---

**NOTE:** All other violations from 3/26/18 have been corrected.

Inspected by <b>Jannica N. Creech</b>	R.S./SIT # <b>2756</b>	Licenser <b>Hamilton City 1785-2081</b>
Received by <b>Abelcar de la Cruz</b>	Title <b>Manager</b>	Phone <b>513-356-1048</b>