

State of Ohio

# Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <b>Ramsey's Early Learning Academy</b>		Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number <b>455</b>	Date <b>4/6/18</b>
Address <b>2270 Dixie Hwy Hamilton OH 45011</b>		Category/Descriptive <b>Class 3 - 25,000 sf</b>		
License holder <b>Ramsey's Early Learning Academy</b>		Inspection time (min) <b>25 min</b>	Travel time (min) <b>20 min</b>	Other
Type of visit (check) <input type="checkbox"/> Standard <input type="checkbox"/> Follow up <input checked="" type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other specify		Follow-up date (if required) <b>—</b>	Sample date/result (if required)	

**3717-1 OAC Violation Checked**

**Management and Personnel**

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

**Poisonous or Toxic Materials**

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

**Food**

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

**Water, Plumbing, and Waste**

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

**Special Requirements**

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

**Physical Facilities**

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

**Administrative**

901:3-4 OAC
3701:21 OAC

**Equipment, Utensils, and Linens**

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

**Violation(s)/Comment(s)**

Note: Made inspection due to complaint # 201801300 - positive shigellosis for a child that attends this daycare. Made joint visit with Amy Ellis, RN - Public Health Nurse. Discussed complaint with owner - Doris Ramsey, who was not aware of outbreak. Discussed exclusion of ill food workers. No ill food workers currently as per owner. Discussed proper handwashing. Gave documentation to the owner regarding Shigellosis from the CDC. Operation has a separate employee for the kitchen - who does not change diapers or go with the children for restroom breaks. Discussed the employee health policy. Discussed with owner that Shigellosis is highly contagious. Positive confirmation of shigellosis came from OARS; stool samples will be collected.

Inspected by <b>Christina N. Creech RPH</b>	F.S./SIT # <b>2756</b>	Licensors <b>Hamilton City 17852001</b>
Received by <b>Doris Ramsey</b>	Title <b>Director</b>	Phone <b>513.887.1000</b>