

**State of Ohio**  
**Standard Inspection Report**

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <b>High Street Food Mart</b>		Check one <input type="checkbox"/> FSO <input checked="" type="checkbox"/> RFE	License number <b>477</b>	Date <b>4/17/18</b>
Address <b>9416 High St. Hamilton OH 45011</b>		Category/Descriptive <b>Class 1 &lt; 25000 sf</b>		
License holder <b>Mehreet Investments LLC</b>		Inspection time (min) <b>15 min</b>	Travel time (min) <b>10 min</b>	Other
Type of visit (check) <input type="checkbox"/> Standard <input checked="" type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required) <b>—</b>		Sample date/result (if required)

**3717-1 OAC Violation Checked**

**Management and Personnel**

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundering
4.8	Protection of clean items

**Poisonous or Toxic Materials**

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

**Food**

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

**Water, Plumbing, and Waste**

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

**Special Requirements**

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

**Equipment, Utensils, and Linens**

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

**Physical Facilities**

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
<input checked="" type="checkbox"/> 6.4	Maintenance and operation

**Administrative**

901-3-4 OAC
3701-21 OAC

Ⓢ = Repeat violation

**Violation(s)/Comment(s)**

*Non-critical*

6.4 Wall found damaged under the 3 tub sink- repair Ⓢ; physical facilities must be kept in good repair.

Note: All other violations from 4/13/18 have been corrected. Terminix visited on 4/16/18. No evidence of rodents found during inspection. Suggested monthly pest service to prevent harborage of rodents/insects.

Inspected by <b>Jannica K. Creech</b>	R.S./SIT # <b>2756</b>	Licensors <b>Hamilton City / 7837081</b>
Received by <b>[Signature]</b>	Title <b>OWNER</b>	Phone <b>513-307-2796</b>