

State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility East Hamilton Fairfield Twp Little League		Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number 118	Date 4/6/18
Address Hancock Ave Crawford Woods Hamilton 45011		Category/Descriptive Class 3 - 25000 sf		
License holder HFL	Inspection time (min) 60 min	Travel time (min) 10 min	Other	
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other specify		Follow-up date (if required) 5/9/18	Sample date/result (if required)	

3717-1 OAC Violation Checked

Management and Personnel

<input type="checkbox"/>	2.1 Employee health
<input type="checkbox"/>	2.2 Personal cleanliness
<input type="checkbox"/>	2.3 Hygienic practices
<input checked="" type="checkbox"/>	2.4 Supervision

<input type="checkbox"/>	4.4 Maintenance and operation
<input type="checkbox"/>	4.5 Cleaning of equipment and utensils
<input checked="" type="checkbox"/>	4.6 Sanitizing of equipment and utensils
<input type="checkbox"/>	4.7 Laundering
<input type="checkbox"/>	4.8 Protection of clean items

Poisonous or Toxic Materials

<input type="checkbox"/>	7.0 Labeling and identification
<input type="checkbox"/>	7.1 Operational supplies and applications
<input type="checkbox"/>	7.2 Storage and display separation

Food

<input type="checkbox"/>	3.0 Safe, unadulterated and honestly presented
<input type="checkbox"/>	3.1 Sources, specifications and original containers
<input type="checkbox"/>	3.2 Protection from contamination after receiving
<input type="checkbox"/>	3.3 Destruction of organisms
<input type="checkbox"/>	3.4 Limitation of growth of organisms
<input type="checkbox"/>	3.5 Identity, presentation, on premises labeling
<input type="checkbox"/>	3.6 Discarding or reconditioning unsafe, adulterated
<input type="checkbox"/>	3.7 Special requirements for highly susceptible populations

Water, Plumbing, and Waste

<input type="checkbox"/>	5.0 Water
<input type="checkbox"/>	5.1 Plumbing system
<input type="checkbox"/>	5.2 Mobile water tanks
<input type="checkbox"/>	5.3 Sewage, other liquid waste and rainwater
<input type="checkbox"/>	5.4 Refuse, recyclables, and returnables

Special Requirements

<input type="checkbox"/>	8.0 Fresh juice production
<input type="checkbox"/>	8.1 Heat treatment dispensing freezers
<input type="checkbox"/>	8.2 Custom processing
<input type="checkbox"/>	8.3 Bulk water machine criteria
<input type="checkbox"/>	8.4 Acidified white rice preparation criteria
<input type="checkbox"/>	9.0 Facility layout and equipment specifications
<input type="checkbox"/>	20 Existing facilities and equipment

Equipment, Utensils, and Linens

<input type="checkbox"/>	4.0 Materials for construction and repair
<input type="checkbox"/>	4.1 Design and construction
<input checked="" type="checkbox"/>	4.2 Numbers and capacities
<input type="checkbox"/>	4.3 Location and installation

Physical Facilities

<input type="checkbox"/>	6.0 Materials for construction and repair
<input type="checkbox"/>	6.1 Design, construction, and installation
<input type="checkbox"/>	6.2 Numbers and capacities
<input type="checkbox"/>	6.3 Location and placement
<input type="checkbox"/>	6.4 Maintenance and operation

Administrative

<input type="checkbox"/>	901:3-4 OAC
<input type="checkbox"/>	3701:21 OAC

Violation(s)/Comment(s)

Critical

*4.2 No probe thermometer (0-220°F) available to check internal food temperatures - required/obtain. Corrected during inspection.

*4.6 Only one stopper at the 3 tub sink; obtain - cannot wash dishes properly. Corrected during inspection.

Non-critical

2.4 Level II certification not available - obtain; was required by 3/1/17. Correction must be obtained by 5/9/18. (at least one person with supervisory duties)

Inspected by Spencer N. Creech ASKERS	R.S./SIT # 2150	Licensors Hamilton City 1975-2081
Received by [Signature]	Title CONCESSION MGR	Phone 513-258-5144

State of Ohio
Continuation Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Facility name East Hamilton Fairfield Twp Little League	Type of inspection Standard - 4/6/18
--	---

Violation(s)/Comment(s)

Note: employee health policy and vomiting/diarrhea clean up procedure available

Inspected by Amanda N. Creach RSO	R.S. SIT # 2156	Licenser Hamilton City / 7857081
Received by [Signature]	Title CONCESSION MGR	Phone 513-258-5144