

State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility Lindenwald Baseball		Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number 258	Date 4/27/18
Address 40 Joe Nuxhall Way, Hamilton OH 45015		Category/Descriptive Class 3 ≤ 255QFT		
License holder Walter A. Brunner, Treasurer		Inspection time (min) 30	Travel time (min) 15	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Precicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other specify		Follow-up date (if required)		Sample date/result (if required)

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
<input checked="" type="checkbox"/> 6.4	Maintenance and operation

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Administrative

901:3-4 OAC
3701-21 OAC

Violation(s)/Comment(s) contact: Julie Conrad -

NOTE: Hours of operation: April - Mid July; Hours: M-F 5:30pm - 9:30
weekends: Sat: 10:30 AM - 4pm (Sunday only as scheduled)

6.4 Repair screen in main entrance door. Currently has few tears in it.
This is to prevent pest attraction.

6.4 Remove unused/inoperable freezer. Replaced recently with
a commercial freezer unit.

- sanitizer used is Quaternary Ammonia - adequate concentration
is between 200-400ppm.

NOTE: operation in contact with plumber regarding hot water @ hand sinks
in restrooms. Hot water available at hand sink in operation/kitchen

Inspected by Cammie Milione, RS	R.S./SIT # 2357	Licenser Hamilton City
Received by Julie Conrad	Title President	Phone C: 295-1501