

# State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <b>Speedy's</b>		Check one <input type="checkbox"/> FSO <input checked="" type="checkbox"/> RFE	License number <b>267</b>	Date <b>6/12/18</b>
Address <b>809 N. Second St. Hamilton OH 45011</b>		Category/Descriptive <b>Class 2 - 25,000 sf</b>		
License holder <b>Michael Tincher</b>		Inspection time (min) <b>35 min</b>	Travel time (min) <b>15 min</b>	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Precicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required) <b>—</b>		Sample date/result (if required)

### 3717-1 OAC Violation Checked

#### Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
<input checked="" type="checkbox"/>	4.5 Cleaning of equipment and utensils
	4.6 Sanitizing of equipment and utensils
	4.7 Laundering
	4.8 Protection of clean items

#### Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

#### Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
<input checked="" type="checkbox"/>	3.5 Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

#### Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

#### Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

#### Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

#### Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
<input checked="" type="checkbox"/>	6.4 Maintenance and operation

#### Administrative

901:3-4 OAC
3701-21 OAC

non-critical

#### Violation(s)/Comment(s)

3.5 Establishment is packaging ice - and placing in the ice chest for sale on request by customer - not properly labeled as required to inform the consumer - required to have name and place of business of the packer on labels. Discussed with the person-in-charge. (PIC)

4.5 Ice machine unclean on the inside - clean; must be kept clean to sight and touch.

6.4 Floors unclean - clean; must be kept clean. (P)

Note: employee health policy and vomiting/diarrhea clean up procedure available

Note: establishment has a 2 tub sink and no mop sink; will need changed to a 3 tub sink and mop sink added if owner change occurs.

Inspected by <b>Jannica N. Creech RSN</b>	R.S./SIT # <b>2750</b>	Licenser <b>Hamilton City 1785 2081</b>
Redeveloped by <b>Mike Tincher</b>	Title <b>MANAGER</b>	Phone <b>513 894-0440</b>