

State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility Minnick's Drive Thru		Check one <input type="checkbox"/> FSO <input checked="" type="checkbox"/> DFE	License number 358	Date 5-22-18
Address 940 Pyramid Hill		Category/Descriptive C2 Small		
License holder Ralph Minnick		Inspection time (min) 40	Travel time (min) 20	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other specify		Follow-up date (if required) 5-30-18		Sample date/result (if required)

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

<input checked="" type="checkbox"/> 4.4	Maintenance and operation
<input checked="" type="checkbox"/> 4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Administrative

901:3-4 OAC
3701-21 OAC

Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

Violation(s)/Comment(s)

* Critical item (R) Repeat item

Critical item
 *4.5 Metal prongs above ice have ^{rust} build up which drips from the prongs occasionally. Empty ice machine and sanitize.

Non critical items:
 (R) 4.4 Casket of walk-in cooler in poor repair. Replace for optimal operation.
 4.5 Dust build up on shelves in drive through and build up on some shelves in walk-in. Clean.

Inspected by [Signature]	R.S./SIT # 2902	Licensors CHHD 785-7088
Received by [Signature]	Title Assistant Manager	Phone 513-893-5000

State of Ohio
Continuation Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of Facility Minnick's Drive Thru	Type of visit Standard	Date 5-22-18
--	---------------------------	-----------------

Violation(s)/Comment(s)

Note: Door to room with dishwasher is locked so this room could not be inspected. Door must be unlocked for reinspection. Also ensure 160° test strips or maximum registering / holding thermometer provided to ensure 160° temperature at utensil rinse.

Inspected by J Kramer	R.S./SIT # 2902	Licenser CCHD 785-7088
Received by Inye Prince, Manager	Title Assistant Manager	Phone 513-893-5000