

Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility Brookwood Elem	Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number 237	Date 8-2-18
Address 1325 Stahlhuber Rd.	Category/Descriptive C4 Small		
License holder Hamilton Board of Ed	Inspection time (min) 30	Travel time (min) 25	Other
Type of visit (check) <input type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input checked="" type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>	Follow-up date (if required)	Sample date/result (if required)	

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Administrative

901:3-4 OAC
3701:21 OAC

Violation(s)/Comment(s)

Repaired this morning and temperature is currently holding **98.0*** All food was removed yesterday and disposed of. Unit walls, floors and shelves were cleaned with dishu Sani-Master 4 or VINEK. II Unit is still empty. Everyone involved wore gloves and masks.

Inspected by [Signature]	R.S./SIT # 2802	Licensors CHND 785-7088
Received by Dave Traumer	Title Head Custodian	Phone (513) 868-5590