State of Ohio Standard Inspection Report Authority: Chapters 3717 and 3715 Ohio Revised Code

	rity: Chapters 3717 and	d 3715 Onlo Rev	isea Code		
Name of facility (ertified Oil Co. #436		Check one ☐ FSO ☐ RFE	License number		8 15 18
701 High St. Hamilton OH 45011			Category/Descriptive Class 3-25000 of		
License holder A A I A		Inspection time (min)	Travel time (m		Other
Vertitied VII Co.		15 MIN	10 MIN		
Type of visit (check) ☐ Standard ☐ Follow up ☐ Foodborne ☐ 30 day			Follow-up date (if required)		Sample date/result (if required)
☐ Complaint ☐ Prelicensing ☐ Consultation ☐ Other specify					
3717-1 OAC Violation Checked					
Management and Personnel			Poisono	us or Toxic Mai	terials
2.1 Employee health	4.4 Maintenance and operation		7.0 Labeling and identification		
2.2 Personal cleanliness	4.5 Cleaning of equipment and utensils		7.1		
2.3 Hygienic practices		2		7.2 Storage and display separation	
2.4 Supervision	4.7 Laundering		Special Requirements		
Food	4.8 Protection of clean items		8.0		
3.0 Safe, unadulterated and honestly presented 3.1 Sources, specifications and original containers	Water, Plumbing, and Waste		8.1	Heat treatment of	dispensing freezers
3.1 Sources, specifications and original containers 3.2 Protection from contamination after receiving	5.0 Water		8.2	Custom processi	0
3.3 Destruction of organisms	5.1 Plumbing system			Bulk water mach	
3.4 Limitation of growth of organisms	5.2 Mobile water tanks 5.3 Sewage, other liquid waste and rainwater		8.4		ice preparation criteria
3.5 Identity, presentation, on premises labeling	5.3 Sewage, other liquid waste and rainwater 5.4 Refuse, recyclables, and returnables				nd equipment specifications
3.6 Discarding or reconditioning unsafe, adulterated			20 Existing facilities and equipment		
3.7 Special requirements for highly susceptible populations Physical Facilities			Administrative		
Equipment, Utensils, and Linens	6.0 Materials for construction and repair 6.1 Design, construction, and installation		901:3-4 OAC		
4.0 Materials for construction and repair	6.2 Numbers and capacities		3701-21 OAC		
4.1 Design and construction	6.3 Location and placement	\dashv			
4.2 Numbers and capacities	6.4 Maintenance and operation				
4.3 Location and installation					
Violation(s)/Comment(s)					
Note: Stoppers are now available at the 3 tubsink to wash dishes properly.					
0					
Inspected by W Co. of What RS/SII# Hicenson A Hicenson					
Inspected by Church Van (R.S.) SIJ# SL Licensor Hamilton Coty 185-7081					
Jore Manager 3-868-0384					
HEN 5802 2/12 Ohio Department of Health AGR 1268 2/12 Ohio Department of Agriculture	Distribution: Top copy—Operate	or, Bottom copy—Loca	al health depart	ment	pg of